# DISABILITY MINSTRY Assessment Tool



### Now you are the body of Christ, and each one of you is a part of it. 1 Cor. 12:27 ESV

### Congregational Attitudes

- 1 Do people with disabilities currently attend and participate in worship services and partake of the Sacraments?
- **2** Do people with disabilities currently attend and participate in educational opportunities?
- **3** Do people with disabilities currently attend and participate in fellowship opportunities?
- 4 Do people with disabilities currently attend and participate in service and outreach opportunities?
- **5** Do people with disabilities currently serve in leadership roles within the congregation?
- **6** Does the congregation advertise that people with disabilities are welcome?
- 7 Are accessible transportation options available for those who would like to participate in the life of the church but cannot drive?
- 8 Is someone clearly designated during busy times to assist in providing directions and information?
- **9** Does the congregation have a comfortable way for members with disabilities to provide input about barriers to their participation?
- **10** Are learning opportunities available so that all congregation members can increase their knowledge and comfort level for interacting with and including members with disabilities?

- **11** Are ushers, teachers and other leaders trained in the use of assistive technology that a member with a disability might need to use (i.e., wheelchair lift, communication devices)?
- **12** Are congregational leaders trained in recognizing symptoms of mental illness and interacting with members and their families when a person experiences an episode of his or her illness?
- **13** Do the pastor and appropriate congregation members have a listing of community resources and professionals to share with members with disabilities or mental illness, and their families?
- **14** Are the needs of members with disabilities regularly considered when planning modifications and new additions to congregational building structures, programming and fellowship?
- **15** Are worship services and programs held at times which are convenient for those members who require extra time to get ready in the morning?
- **16** Do congregation members observe etiquette when support animals are present, such as not petting or distracting the animal while it is working?
- **17** Does the congregation include members with behavioral difficulties?



### Educational Program Considerations

- 1 Are programs held in spaces that are accessible to all members?
- 2 Is information during worship services, education classes, meetings and social activities presented with both a visual and an auditory component so that those with different learning styles can obtain the information?
- **3** Are educational programs designed to meet individual educational needs?
- 4 Are strongly-scented items, such as heavily-scented flowers or incense, avoided so that people with chemical sensitivities may be present during worship and programs?
- **5** Are copies or recordings of the sermon and educational programs available?

## Website Content Considerations

- 1 Does a congregational website allow visitors to use various font sizes?
- 2 Does a congregational website feature strong color contrast on all pages?
- 3 Are the links on a congregational website easily navigated? Is information located in logical places?
- 4 Are audio tabs on links available for those with visual impairments?



### Physical Access

#### A - Parking Lot

- A1 Are distances minimized between the parking lot, drop off areas and accessible entrances?
- A2 Are accessible parking spaces available with spaces and aisles totaling 13 feet for cars and 16 feet for vans?
- **A3** Are accessible parking spaces clearly marked? Are markings easily seen when driving in the parking lot?
- A4 Are smooth, clear pathways always available from the parking lot to the accessible entrance?
- **A5** Are visual markers available at curbs to indicate where the level change is located?
- A6 Are clean, clear curb cuts available at curbs?

#### B - Entrance(s)

- **B1** Is signage available to indicate where accessible entrances are located?
- **B2** Is a smooth, flat pathway, a ramp, or a wheelchair lift available at the accessible entrance?

- **B3** If a ramp is present:
  - > Does the ramp should have a slope of at least a 12-inch for every inch of height?
  - > Is the ramp at least 36 inches wide at all places?
  - > Are railings available on both sides of the ramp?
  - Are resting spots with wide turning places available at least every 30 feet along the ramp?
- **B4** If outdoor steps are available at any entrance:
  - > Is a railing available on both sides of the steps?
  - > Are steps visually marked to indicate where each step ends?
- **B5** Is a working automatic door opener available that stays open for at least 10 seconds?
- **B6** If an automatic door opener is not available, can the door easily be opened with a closed fist using less than five pounds of pressure?
- **B7** Is ample space available in front of each door so a person using a mobility device can open the door and easily enter?
- **B8** Is the doorway of the accessible entrance at least 32 inches wide?



#### C - Building-wide Accessibility

- **C1** Are all rooms on a level surface? If not, are they accessible by elevator, ramp or lift?
- **C2** Are clear, wide spaces available throughout the building for easy maneuverability when using a mobility device?
- **C3** Are all doors at least 32 inches wide?
- **C4** Are thresholds at doors less than <sup>1</sup>/<sub>4</sub> inch high?
- **C5** Are floors smooth, not slippery, and in good repair?
- **C6** Are carpeting, rugs and mats made of a tight weave and low pile and securely attached?
- **C7** Are clutter and electrical cords absent along pathways?
- **C8** Are railings available on both sides of all staircases?
- **C9** Is color contrast or a slightly raised tread available on each step/staircase to indicate the location of each step/ staircase?
- **C10** Are non-skid treads or texture available on steps?
- **C11** Is lighting in hallways and stairways adequate for reading signs and navigating obstacles?
- **C12** Is lettering on signs bold, in an easily readable font, and readable from a distance?
- **C13** Is strong color contrast available on clocks, signs, bulletins and announcement pages to enhance readability?
- **C14** Is an alert mechanism available to warn people with limited vision of low ceilings, space under staircases, items hanging from the ceiling, or objects protruding from the wall?
- **C15** Are Braille plaques available on signs and elevator controls?
- **C16** If an elevator is present:
  - > Do the doors stay open long enough for someone who moves slowely to enter the elevator?
  - > Are controls reachable from sitting position?
- **C17** Do fire alarms have visual and auditory signals?
- **C18** Are drinking fountains easily reached by people of various heights?
- **C19** Can telephones be used from a sitting position?

- **C20** Are accessible features repaired immediately when they are broken?
- **C21** Are projectors and televisions equipped with closed captioning?

#### D - Worship Space

(Including the altar, baptismal font, choir loft and nave)

- **D1** Are accessible places to sit located throughout and among the regular seating spaces (not just in the very back, the very front, or the aisles)?
- **D2** Are spaces between pews and chairs wide enough to provide easy entry?
- **D3** If kneelers are used, can they easily be placed out of the path of travel?
- **D4** Are large print and Braille worship and study materials available?
- **D5** Is bright, focused lighting in the sanctuary/pew area available for reading at all times of the day?
- **D6** Are printed sermons available?
- **D7** Can all areas in the worship space be accessed without steps?
- **D8** Is a system available to amplify sound for those who have difficulty hearing?
- **D9** Is a sign language interpreter available during worship services?
- **D10** Is there adequate lighting on speakers? Do speakers face the congregation?

#### E - Classroom Space

- **E1** Are desks, chairs, tables and other furniture throughout the classroom spaced widely apart to facilitate easy movement around the room?
- **E2** Do teachers, aides, volunteers, parents and for students communicate regularly to provide the best instruction and learning environment for children with special needs?
- **E3** Are classrooms organized and kept as neat as possible?

#### F - Offices and Equipment

- **F1** Is the congregation willing to purchase and install adaptive computer software as needed?
- **F2** Is office technology located at levels that can be accessed from a seated position?



**F3** Is a TDD or TTY available in the office so that people who are deaf can communicate over the phone?

#### G - Restrooms

- **G1** Are accessible restrooms clearly marked?
- **G2** Are doors, stall doors and latches operated with minimal movement or effort?
- **G3** Are grab bars located on walls behind and next to the toilet at a height easily reached when sitting?
- **G4** Is a clear 5-foot diameter turning space available?
- **G5** Is knee space available under the sink, and the exposed pipes insulated?
- **G6** Can the faucet, soap dispenser and towel dispenser be reached while sitting?
- **G7** Can the faucet, soap dispenser and towel dispenser be operated with a closed fist?
- **G8** Is a mirror placed so that the bottom edge is no higher than 40 inches above the floor?

- H Exercise Facilities/Playground
- **H1** Are the playground surfaces easy to roll on?
- **H2** Are play features available at multiple levels?
- **H3** Are there alternatives to steps for reaching all levels of playground?
- **H4** Are lockers reached from a sitting position?
- **H5** If a shower is available:
  - > Is a threshold present at a shower entrance?
  - > Is a bath bench available?
  - > Is a non-skid surface available on the floor?
  - > Is a hand-held shower available?
  - > Are grab bars available along the sides of the shower?



### Disability Ministry Implementation Plan

- 1 Of the items marked "No" throughout the Disability Ministry Assessment Tool, which items can your congregation address in the next month?
- **3** Who will be responsible for implementing the changes or modifications?

- 2 Of the items marked "No" throughout the Disability Ministry Assessment Tool, which items can your congregation address in the next year?
- 4 Will money be allocated in future budgets to address changes, modifications or new programs?

